## Australian Journal of Agricultural Research

## Index to Volume 54

Ablett GA See Cakir M et al. 1155, 1369; Emebiri LC et al. 1211; Read BJ et al. 1145; Karakousis A et al. 1197

Ablett GA, Karakousis A, Banbury L, Cakir M, Holton TA, Langridge P, Henry RJ Application of SSR markers in the construction of Australian barley genetic maps. 1187

Adams ML See Pracilio G et al. 789

Adams NR, Cronje PB A review of the biology linking fibre diameter with fleece weight, liveweight and reproduction in Merino sheep. 1

Adhikari KN See Galwey NW et al. 649

Ahmad F See Croser JS et al. 429

Al-Qurran LZ See El-Shatnawi MdK et al. 53

Alfonso M See Sanudo C et al. 551

Allen HM See Skerritt JH et al. 987

Allsopp PG, Fischer TWA, Bade GS, Dall DJ Do farming practices influence the incidence of Childers canegrubs, Antitrogus parvulus Britton (Coleoptera: Scarabaeidae)? 259

Alter D See Zhang XG et al. 979

Amini Dehaghi M, Modarres Sanavy SAM Effect of root zone temperatures on morphology, growth and development, yield, and yield components of annual medics. 917

Anderson RD See Pluske JR et al. 933

Anderson WK See Hamza MA et al. 273

Appels R See Li CD et al. 1303; Cakir M et al. 1155, 1369

Armstrong EL See Evans J et al. 763, 777

Armstrong RD See Nuttall JG et al. 487

Asayama S See Pallotta MA et al. 1141

Asseng S See Pracilio G et al. 789

Atienza SG See Avila CM et al. 409

Avila CM See Roman B et al. 85

Avila CM, Atienza SG, Moreno MT, Torres AM characterisation of Vicia faba germplasm. Genetic interpretation and applications, 409

Bade GS See Allsopp PG et al. 259

Bahmani I, Thom ER, Matthew C, Hooper RJ, Lemaire G Tiller dynamics of perennial ryegrass cultivars derived from different New Zealand ecotypes: effects of cultivar, season, nitrogen fertiliser, and irrigation. 803

Baldock JA See Sadras VO et al. 353

Balnave D See Chen J et al. 177

Banbury L See Ablett GA et al. 1187

Barbetti MJ See Wherrett AD et al. 837; Bayliss KL et al. 77

Barclay I See Sivapalan S et al. 91

Barr AR See Collins HM et al. 1223; Coventry SJ et al. 1103, 1241; Karakousis A et al. 1131, 1137, 1173, 1197; Long NR et al. 1163; Pallotta MA et al. 1141; Cakir M et al. 1155; Park RF et al. 1323; Li CD et al. 1251; Boyd WJR et al. 1277; Raman H et al. 1359; Williams KJ et al. 1387

Barr AR, Jefferies SP, Broughton S, Chalmers KJ, Kretschmer JM, Boyd WJR, Collins HM, Roumeliotis S, Logue SJ, Coventry SJ, Moody DB, Read BJ, Poulsen D, Lance RCM, Platz GJ, Park RF, Panozzo JF, Karakousis A, Lim P, Verbyla AP, Eckermann PJ Mapping and QTL analysis of the barley population Alexis × Sloop.

Barr AR, Karakousis A, Lance RCM, Logue SJ, Manning S, Chalmers KJ, Kretschmer JM, Boyd WJR, Collins HM, Roumeliotis S, Coventry SJ, Moody DB, Read BJ, Poulsen D, Li CD, Platz GJ, Inkerman PA, Panozzo JF, Cullis BR, Smith AB, Lim P, Langridge P Mapping and QTL analysis of the barley population Chebec × Harrington, 1125

Barwick SA See Kahi AK et al. 1039

Bayliss KL, Spindler L, Lagudah ES, Sivasithamparam K, Barbetti MJ Variability within Kabatiella caulivora Race 1 and Race 2 revealed by cultural and molecular analyses. 77

Bellotti WD See Turpin JE et al. 39

Berge P See Sanudo C et al. 551

Bielig LM See Grant T et al. 243

Bindon BM See Reverter A et al. 149

Bird PR See Singh DK et al. 677

Blaikie SJ See Gonzalez A et al. 309

Blamev FPC See Gunawardena TA et al. 937, 947

Blanche KR, Tran-Nguyen L, Gibb KS Tests of transmission of cynodon white leaf phytoplasma to sugarcane and maize in northern

Blaney BJ, Maryam R, Murray SA, Ryley MJ Alkaloids of sorghum ergot (Claviceps africana): assay methods and variation between sclerotia/sphacelia. 167

Blott K See Unkovich MJ et al. 751

Bogacki P See Williams KJ et al. 731

Boschma S, Hill MJ, Scott JM, Rapp G The response to moisture and defoliation stresses and traits for resilience of perennial grasses on the Northern Tablelands of New South Wales, Australia. 903

Boschma S, Scott JM, Hill MJ, King JR, Lutton JJ Plant reserves of perennial grasses subjected to drought and defoliation stresses on the northern tablelands of New South Wales, Australia. 819

Boyd WJR See Read BJ et al. 1145; Barr AR et al. 1125; Cakir M et al. 1155; Barr AR et al. 1117

Boyd WJR, Li CD, Grime CR, Cakir M, Potipibool S, Kaveeta L, Men S, Jalal Kamali M R, Barr AR, Moody DB, Lance RCM, Logue SJ. Raman H, Read B J Conventional and Molecular genetic analysis of factors contributing to variation in the timing of heading among spring barley (Hordeum vulgare L.) genotypes grown over a mild winter growing season. 1277

Brake J See Chen J et al. 177

Briegel JR See Kerr CA et al. 1057

Brien FD See Konstantinov KV et al. 723

Broughton S See Barr AR et al. 1117; Li CD et al. 1251, 1303

Brown AHD See Genger RK et al. 1335

Brown F See Kerr CA et al. 1057

Bryden WL See Selle PH et al. 323

Burdon JJ See Genger RK et al. 1335

Burrow HM See Reverter A et al. 119, 149; Johnston DJ et al. 107, 135

Cadogan DJ See Selle PH et al. 323

Cakir M See Williams KJ et al. 1387; Boyd WJR et al. 1277; Li CD et al. 1251, 1303; Park RF et al. 1323; Ablett GA et al. 1187

Cakir M, Gupta S, Platz GJ, Ablett GA, Loughman R, Emebiri LC, Poulsen D, Li CD, Lance RCM, Galwey NW, Jones MGK, Appels R Mapping and validation of the genes for resistance to Pyrenophora teres f. teres in barley (Hordeum vulgare L.). 1369

Cakir M, Poulsen D, Galwey NW, Ablett GA, Chalmers KJ, Platz GJ, Park RF, Lance RCM, Panozzo JF, Read BJ, Moody DB, Barr AR, Johnston P, Li CD, Boyd WJR, Grime CR, Appels R, Jones MGK, Langridge P Mapping and QTL analysis of the barley population Tallon × Kaputar. 1155

Cakir M, Spackman M, Wellings CR, Galwey NW, Moody DB, Poulsen D. Ogbonnaya FC, Vivar H Molecular mapping as a tool for preemptive breeding for resistance to the

exotic barley pathogen, Puccinia striiformis f. sp. hordei. 1351

Calder TC See Gibberd MR et al. 499

Campbell RG See Pluske JR et al. 515; Dunshea FR et al. 363

Carpenter DJ See Penrose LDJ et al. 293

Carulla JE See Hess HD et al. 703

Chalmers KJ See Barr AR et al. 1117, 1125; Coventry SJ et al. 1241; Read BJ et al. 1145; Karakousis A et al. 1131, 1137, 1173, 1197; Raman H et al. 1359; Emebiri LC et al. 1211; Cakir M et al. 1155; Pallotta MA et al. 1141

Chapman DF See Eckard R et al. 561

Chen D See Khan DF et al. 333; Eckard R et al. 561

Chen J, Huang B, Balnave D, Brake J Responses of broilers at moderate or high temperatures to dietary arginine: lysine ratio and source of supplemental methionine activity. 177

Cheng Y See Jones RAC et al. 849

Cheong J See Williams KJ et al. 1387

Chin JF See Riffkin PA et al. 193

Clarke HJ See Croser JS et al. 429

Clingeleffer PR See Liu SM et al. 869

Collins HM See Barr AR et al. 1117, 1125; Pallotta MA et al. 1141; Li CD et al. 1251; Coventry SJ et al. 1241; Karakousis A et al. 1131

Collins HM, Panozzo JF, Logue SJ, Jefferies SP, Barr AR Mapping and validation of chromosome regions associated with high malt extract in barley (Hordeum vulgare L.), 1223

Condon AG See Rebetzke GJ et al. 381; Husain S et al. 589

Condon AG, Giunta F Yield response of restricted-tillering wheat to transient waterlogging on duplex soils. 957

Connor DJ See Nuttall JG et al. 487; O'Connell MG et al. 663

Cook SE See Pracilio G et al. 789

Coutts BA See Jones RAC et al. 849

Coventry SJ See Pallotta MA et al. 1141; Barr AR et al. 1117, 1125

Coventry SJ, Barr AR, Eglinton JK, McDonald GK. The determinants and genome locations influencing grain weight and size in barley (Hordeum vulgare L.). 1103

Coventry SJ, Collins HM, Barr AR, Jefferies SP, Chalmers KJ, Logue SJ, Langridge P Use of putative QTLs and structural genes in marker assisted selection for diastatic power in malting barley (Hordeum vulgare L.). 1241

Cranwell PD See Pluske JR et al. 515; Dunshea FR et al. 363

Cronje PB See Adams NR et al. 1

Croser JS, Ahmad F, Clarke HJ, Siddique KHMUse of wild Cicer in chickpea improvement—progress, constraints and prospects. 429

Cruickshank AW, Tonks JW, Kelly AK Blanchability of peanut (Arachis hypogaea L.) kernels: early generation selection and genotype stability over three environments. 885

Cullis BR See Barr AR et al. 1125; Verbyla AP et al. 1395

Cullis BR, Smith AB, Panozzo JF, Lim P Barley malting quality: are we selecting the best? 1261

D'Souza DN, Pethick DW, Dunshea FR, Pluske JR, Mullan BP Nutritional manipulation increases intramuscular fat levels in the Longissimus muscle of female finisher pigs. 745

Dall DJ See Allsopp PG et al. 259

Davidson RH See Wiese S et al. 507

Davies PA See Pallotta MA et al. 1141

Dear BS, Sandral GA, Spencer D, Khan MRI, Higgins TJV The tolerance of three transgenic subterranean clover (*Trifolium subterraneum* L.) lines with the *bxn* gene to herbicides containing bromoxynil, 203

Delgado P See Valiente OL et al. 693

Diaz TE See Hess HD et al. 703

Dimassi KN See Papadakis I E et al. 571

Dixon RM, White A, Fry P, Petherick JC Effects of supplement type and previous experience on variability in intake of supplements by heifers. 529

Doogan VJ See Stephenson RA et al. 67

Dracup MN See Galwey NW et al. 649

Dransfield E See Sanudo C et al. 551

Dunshea FR See D'Souza DN et al. 745; Pluske JR et al. 515; McCauley I et al. 11

Dunshea FR, Kerton DJ, Cranwell PD, Campbell RG, Mullan BP, King RH, Power GN, Pluske JR Lifetime and post-weaning determinants of performance indices of pigs. 363

Eady SJ See Prayaga KC et al. 159

Eamens GJ See Kerr CA et al. 1057

Eckard R, Chen D, White RE, Chapman DF Gaseous nitrogen loss from temperate grass and clover dairy pastures in south eastern Australia. 561

Eckermann PJ See Verbyla AP et al. 1395; Long NR et al. 1163; Barr AR et al. 1117; Pallotta MA et al. 1141

Eglinton JK See Coventry SJ et al. 1103

El-Shatnawi Md K, Al-Qurran LZ, Ereifej KI, Turk M Defoliation time of wall barley under sub-humid Mediterranean conditions. 53

Ellison FW See Skerritt JH et al. 987

Emebiri LC See Cakir M et al. 1369

Emebiri LC, Moody DB, Panozzo JF, Chalmers KJ, Kretschmer JM, Ablett GA Identification of QTLs associated with variations in grain protein concentration in two-row barley. 1211

Ercisli S See Esitken A et al. 377

Ereifej KI See El-Shatnawi Md K et al. 53

Esitken A, Karlidag H, Ercisli S, Turan M, Sahin F The effect of spraying a growth promoting bacterium on the yield, growth, and nutrient element composition of leaves of apricot (*Prunus armeniaca* L cv. Hacihaliloglu). 377

Evans J, Scott G, Lemerle D, Kaiser AG, Orchard BA, Murray GM, Armstrong EL Impact of legume 'break' crops on the residual amount and distribution of soil mineral nitrogen. 63. Impact of legume 'break' crops on the yield and grain quality of wheat and relationship with soil mineral N and crop N content. 777

Evans PM See Riffkin PA et al. 193

Farquhar GD See Rebetzke GJ et al. 381

Felton WL See Khan DF et al. 333

Ferguson DM See Johnston DJ et al. 135; Reverter A et al. 149

Fettell NA See Penrose LDJ et al. 293

de Figueiredo M See Marais JP et al. 101

Fischer TWA See Allsopp PG et al. 259

Fisher AV See Sanudo C et al. 551

Fogarty NM, Safari E, Taylor PJ, Murray W Genetic parameters for meat quality and carcass traits and their correlation with wool traits in Australian merino sheep. 715

Fox GP See Li CD et al. 1251

Fox GP, Panozzo JF, Li CD, Lance RCM, Inkerman PA, Henry RJ Molecular basis of barley quality. 1081

Friend MA, Robards GE The effect of ration sequence on the staple strength of genetically high and low wool producing Merino wethers. 923

Fry P See Dixon RM et al. 529

Fukai S See Gunawardena TA et al. 937, 947

Gallagher EC See Stephenson RA et al. 67

Galwey NW See Cakir M et al. 1351, 1155, 1369; Si P et al. 397

Galwey NW, Adhikari KN, Dracup MN, Thomson RD Agronomic potential of genetically diverse narrow-leafed lupins (Lupinus angustifolius L.) with restricted branching. 649

Gardener MR, Whalley RDB, Sindel BM Ecology of Nassella neesiana, Chilean needle grass, in pastures on the northern tablelands of New South Wales. I Seed production and dispersal. 613: II Seedbank dynamics, seed germination, and seedlling recruitment. 621

Garvin DF See Raman H et al. 1315

Genger RK See Read BJ et al. 1145

Genger RK, Williams KJ, Raman H, Read BJ, Wallwork H, Burdon JJ, Brown AHD Leaf scald resistance genes in Hordeum vulgare and Hordeum vulgare ssp. spontaneum: parallels between cultivated and wild barley. 1335

Gibb KS See Blanche KR et al. 423

Gibberd MR, McKay AG, Calder TC, Turner NC Limitations to carrot (Daucus carota L.) productivity when grown with reduced rates of frequent irrigation on a free-draining, sandy soil. 499

Giles LR See Kerr CA et al. 1057

Giunta F See Condon AG et al. 957

Goddard ME See Reverter A et al. 119, 149

Gonzalez A. Blaikie S J Seasonal variation of carbon assimilation in mango (cv. Kensington Pride): effect of flowering treatments. 309

Goodenough DCW See Marais JP et al. 101

Graham GC See Scott KD et al. 739

Graham RD See Kitchen JL et al. 889

Grant T, Lawn RJ, Bielig LM Variation among Australian accessions of Vigna vexillata for traits of agronomic, adaptive, or taxonomic interest. 243

Graser H-U See Kahi AK et al. 1039

Grime CR See Boyd WJR et al. 1277; Li CD et al. 1251, 1303; Read BJ et al. 1145; Cakir M et al. 1155

Grundy PR See Scott KD et al. 739

Guada JA See Valiente OL et al. 693

Gunawardena TA, Fukai S, Blamey FPC Low temperature induced spikelet sterility in rice. I. Nitrogen fertilisation and sensitive reproductive period. 937; II. Effects of panicle temperature. 947

Gupta S See Cakir M et al. 1369

Gupta S, Loughman R, Platz GJ, Lance RCM Resistance in cultivated barleys to Pyrenophora teres f. teres and prospects of its utilisation in marker identification and breeding, 1379

Gustafson JP See Karakousis A et al. 1173

Haire C See Turpin JE et al. 39

Hamza MA, Anderson WK Responses of soil properties and grain yields to deep ripping and gypsum application in a compacted loamy sand soil contrasted with a sandy clay loam soil in Western Australia. 273

Harasymow S See Li CD et al. 1251, 1303

Hare RA See Munns RE et al. 627

Harrell RJ See McCauley I et al. 11

Hatton TJ See Pracilio G et al. 789

Henry RJ See Fox GP et al. 1081; Karakousis A et al. 1197; Ablett GA et al. 1187

Herridge DF See Khan DF et al. 333

Hess HD, Monsalve LM, Lascano CE, Carulla JE, Diaz TE, Kreuzer M Supplementation of a tropical grass diet with forage legumes and Sapindus saponaria fruits: effects on in vitro ruminal nitrogen turnover and methanogenesis. 703

Heywood RH See Skerritt JH et al. 987

Higgins TJV See Dear BS et al. 203

Hill MJ See Boschma S et al. 819, 903

Hodgson G See Pracilio G et al. 789

Hollamby GJ See Siyapalan S et al. 91

Holton TA See Ablett GA et al. 1187; Karakousis A et al. 1197

Hooper RJ See Bahmani I et al. 803

Hopkins C See Marais JP et al. 101

Huang B See Chen J et al. 177

Hunt C See Long NR et al. 1163

Husain S See Munns RE et al. 627

Husain S, Munns RE, Condon AG Effect of sodium exclusion trait on chlorophyll retention and growth of durum wheat in saline soil. 589

Inkerman PA See Barr AR et al. 1125; Fox GP et al. 1081

Irwin JAG See Mackie JM et al. 829

Islam AKM See Karakousis A et al. 1137

Ivancic A, Quero Garcia J, Lebot V Development of visual tools for selecting qualitative corm characteristics of taro (Colocasia esculenta (L.) Schott). 581

Jackson PA. Morgan TE Early stage selection for commercial cane sugar (CCS) in sugarcane clones: effects of time of sampling and irrigation, 389

Jacobs JL See McKenzie FR et al. 461, 471, 477

Jalal Kamali MR See Boyd WJR et al. 1277

James RA See Munns RE et al. 627

Jefferies SP See Pallotta MA et al. 1141; Long NR et al. 1163; Collins HM et al. 1223; Coventry S J et al. 1241; Barr AR et al. 1117; Karakousis A et al. 1137

Jerie PH See Stork PR et al. 27

Jessop RS See Zhang XG et al. 979

Johnston DJ See Reverter A et al. 119, 149

Johnston DJ, Reverter A, Burrow HM, Oddy VH, Robinson DL Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds. 1. Live animal measures, 107

Johnston DJ, Reverter A, Ferguson DM, Thompson JM, Burrow HM Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds. 3. Meat quality traits. 135

Johnston P See Cakir M et al. 1155

Jones MGK See Cakir M et al. 1155, 1369; Paris M et al. 1343

Jones MR See Kerr CA et al. 1057

Jones RAC, Coutts BA, Smith AK, Cheng Y Yield limiting potential of necrotic and non-necrotic strains of Bean Yellow Mosaic Virus in narrow-leafed lupin (Lupinus angustifolius). 849

Kahi AK, Barwick SA, Graser H-U Economic evaluation of Hereford cattle breeding schemes incorporating direct and indirect measures of feed intake, 1039

Kaiser AG See Evans J et al. 777, 763

Kammholz SJ See Skerritt JH et al. 987

Karakousis A See Long NR et al. 1163; Ablett GA et al. 1187; Barr AR et al. 1117, 1125; Pallotta M A et al. 1141; Raman H et al. 1315

Karakousis A, Barr AR, Chalmers KJ, Ablett GA, Holton TA, Henry RJ, Lim P, Langridge P Potential of SSR markers for plant breeding and variety identification in Australian barley germplasm. 1197

Karakousis A, Barr AR, Kretschmer JM, Manning S, Jefferies SP, Chalmers KJ, Islam A K M, Langridge P Mapping and QTL analysis of the barley population Clipper × Sahara. 1137

Karakousis A, Barr AR, Kretschmer JM, Manning S, Logue SJ, Roumeliotis S, Collins HM, Chalmers KJ, Li CD, Lance RCM, Langridge P Mapping and QTL analysis of the barley population Galleon × Haruna Nijo. 1131

Karakousis A, Gustafson JP, Chalmers KJ, Barr AR, Langridge P A consensus map of barley integrating SSR, RFLP, and AFLP markers. 1173

Karlidag H See Esitken A et al. 377

Kaveeta L. See Boyd WJR et al. 1277

Kearney GA See McKenzie FR et al. 461, 477, 471; Riffkin PA et al. 193

Kelly AK See Cruickshank AW et al. 885

Kent JK See Scott KD et al. 739

Kerr CA, Eamens GJ, Briegel JR, Sheehy PA, Giles LR, Jones MR, Brown F Effects of combined Actinobacillus pleuropneumoniae challenge and change in environmental temperature on production, plasma insulin-like growth factor I (IGF-I) and cortisol parameters in growing pigs. 1057

Kerton DJ See Dunshea FR et al. 363; McCauley I et al. 11; Pluske J R et al. 515

Khan DF, Peoples MB, Schwenke GD, Felton WL, Chen D, Herridge DF Effects of below-ground nitrogen on N balances of field-grown fababean, chickpea, and barley. 333

Khan MRI See Dear BS et al. 203

Kim JC, Mullan BP, Simmins PH, Pluske JR Variation in the chemical composition of wheats grown in Western Australia as influenced by variety, growing region, season and post-harvest storage. 541

King JR See Boschma S et al. 819

King RH See Dunshea FR et al. 363; Pluske J R et al. 515

Kitchen JL, McDonald GK, Shepherd KW, Lorimer MF, Graham RD Comparing wheat grown in South Australian organic and conventional farming systems. 1. Growth and grain yield. 889

Knight AJ See Unkovich MJ et al. 751

Kochian LV See Raman H et al. 1315

Konstantinov KV, Brien FD Influence of sire by year interactions on the direct-maternal geneticcorrelation for weaning weight of Western Australian Merino sheep. 723

Kretschmer JM See Emebiri LC et al. 1211; Barr AR et al. 1117, 1125; Long NR et al. 1163; Karakousis A et al. 1131, 1137

Kreuzer M See Hess HD et al. 703

Kuchel H See Williams KJ et al. 731

Lagudah ES See Bayliss KL et al. 77

Lance RCM See Read BJ et al. 1145; Karakousis A et al. 1131; Paris M et al. 1343; Barr AR et al. 1117, 1125; Li CD et al. 1251, 1303; Pallotta MA et al. 1141; Cakir M et al. 1155, 1369; Fox GP et al. 1081; Gupta S et al. 1379; Boyd WJR et al. 1277

Lange C See Scott KD et al. 739

Langridge P See Cakir M et al. 1155; Ablett GA et al. 1187; Barr AR et al. 1125; Coventry SJ et al. 1241; Karakousis A et al. 1131, 1137, 1173, 1197

Lascano CE See Hess HD et al. 703

Lawn RJ See Grant T et al. 243

Lebot V See Ivancic A et al. 581

Lee GJ, Nolan JV Sources of variation in n-alkane concentrations in the cuticular wax of two species of pasture plants. 21

Lemaire G See Bahmani I et al. 803

Lemerle D See Evans J et al. 777, 763

Lewis J See Pallotta MA et al. 1141; Williams K J et al. 731

Li CD See Karakousis A et al. 1131; Paris M et al. 1343; Barr AR et al. 1125; Cakir M et al. 1155, 1369; Fox GP et al. 1081; Boyd WJR et al. 1277; Read BJ et al. 1145

Li CD, Lance RCM, Collins HM, Tarr A, Roumeliotis S, Harasymow S, Cakir M, Fox GP, Grime CR, Broughton S, Young KJ, Raman H, Barr AR, Moody DB, Read BJ Quantitative trait loci controlling kernel discoloration in barley (*Hordeum vulgare* L.). 1251

Li CD, Tarr A, Lance RCM, Harasymow S, Uhlmann J, Westcot S, Young KJ, Grime CR, Cakir M, Broughton S, Appels R A major QTL controlling seed dormancy and pre-harvest sprouting/grain αamylase in two-rowed barley (Hordeum vulgare L.). 1303 Lim P See Cullis BR et al. 1261; Pallotta MA et al. 1141; Barr AR et al. 1117, 1125; Long NR et al. 1163; Karakousis A et al. 1197

Liu SM, Sykes SR, Clingeleffer PR Improved in ovulo embryo culture for stenospermocarpic grapes (Vitis vinifers L.). 869

Liu Z Characterisation of glyphosate uptake into grass species. 877 Lodge GM See Oram RN et al. 211

Logue SJ See Collins HM et al. 1223; Boyd W J R et al. 1277; Coventry SJ et al. 1241; Barr AR et al. 1117, 1125; Pallotta M A et al. 1141; Karakousis A et al. 1131

Long NR, Jefferies SP, Warner P, Karakousis A, Kretschmer JM, Hunt C, Lim P, Eckermann PJ, Barr AR Mapping and QTL analysis of the barley population Mundah × Kcel. 1163

Lorimer MF See Kitchen JL et al. 889

Loughman R See Gupta S et al. 1379; Cakir M et al. 1369

Lutton JJ See Boschma S et al. 819

Mackie JM, Musial JM, O'Neill NR, Irwin JAG Pathogenic specialisation within Colletotrichum trifolii in Australia, and lucerne cultivar reactions to all known Australian pathotypes. 829

Mailer RJ See Si P et al. 397

Manning S See Karakousis A et al. 1131, 1137; Barr AR et al. 1125
Marais J P, Goodenough DCW, de Figueiredo M, Hopkins C The development of a Lolium multiflorum cultivar with a low moisture content and an increased readily digestible energy to protein ratio.

101

Martin PJ See Sivapalan S et al. 91

Maryam R See Blaney BJ et al. 167

Masters DG See Wiese S et al. 507 Matthew C See Bahmani I et al. 803

McCaskill MR See McKenzie FR et al. 461

McCauley I, Watt M, Suster D, Kerton DJ, Oliver WT, Harrell RJ, Dunshea FR A GnRF vaccine (Improvae ) and porcine somatotropin (Reporcin ) have synergistic effects upon growth performance in both boars and gilts. 11

McDonald GK See Kitchen JL et al. 889; Coventry SJ et al. 1103

McKay AG See Gibberd MR et al. 499

McKenzie FR, Jacobs JL, Kearney GA Long-term effects of multiple applications of nitrogen fertiliser on grazed dryland perennial ryegrass/white clover dairy pastures in south west Victoria2. Growth rates, dry matter consumed and nitrogen response efficiencies. 471. 3. Botanical composition, nutritive characteristics, mineral content and

nutrient selection, 477

McKenzie FR, Jacobs JL, Riffkin PA, Kearney GA, McCaskill MR Long-term effects of multiple applications of nitrogen fertiliser on grazed dryland perennial ryegrass/white clover dairy pastures in south west Victoria 1. Nitrogen fixation by white clover. 461

McMichael G See Read BJ et al. 1145

Meinke H See Wang E et al. 599

Men S See Boyd WJR et al. 1277

Merritt DJ See Scott KD et al. 739

Merritt MA See Scott KD et al. 739

Mills C See Sanudo C et al. 551

Milton JTB See Wiese S et al. 507

Mock I See Unkovich MJ et al. 751

Modarres Sanavy SAM See Amini Dehaghi M et al. 917

Monsalve LM See Hess HD et al. 703

Moody DB See Park RF et al. 1323; Li CD et al. 1251; Cakir M et al. 1155, 1351; Barr AR et al. 1117, 1125; Emebiri LC et al. 1211; Boyd WJR et al. 1277; Raman H et al. 1359

Moore AD See Turpin JE et al. 39

Moreno MT See Avila CM et al. 409; Roman B et al. 85

Morgan TE See Jackson PA et al. 89

Moroni JS See Raman H et al. 1315

Mullan BP See Kim JC et al. 541; D'Souza DN et al. 745; Dunshea F R et al. 363; Pluske JR et al. 515

Munns RE See Husain S et al. 589

Munns RE, Rebetzke GJ, Husain S, James RA, Hare RA Genetic control of sodium exclusion in durum wheat. 627

Murray GM See Evans J et al. 763, 777

Murray SA See Blaney BJ et al. 167

Murray W See Fogarty NM et al. 715

Musial JM See Mackie JM et al. 829

Nasir N, Pittaway PA, Pegg KG Effect of organic amendments and solarisation on Fusarium wilt in susceptible banana plantlets, transplanted into naturally infested soil. 251

Nolan JV See Lee GJ et al. 21

Ntanos DA, Roupakias DG Rice F1 hybrids: the breeding goal or a costly solution? 1005

Nuruzzaman M See Tang CX et al. 445

Nute GR See Sanudo C et al. 551

Nuttall JG, Armstrong RD, Connor DJ Evaluating physicochemical constraints of Calcarosols on wheat production in the Victorian southern Mallee. 487

O'Brien L See Sivapalan S et al. 91

O'Connell MG, O'Leary GJ, Connor DJ Drainage and change in soil water content below the root-zone under long fallow and continuous cropping sequences in the Victorian Mallee. 663

O'Leary GJ See O'Connell MG et al. 663

O'Neill NR See Mackie JM et al. 829

Oddy VH See Johnston DJ et al. 107; Reverter A et al. 149

Ogbonnaya FC See Cakir M et al. 1351

Oliver WT See McCauley I et al. 11

Oram RN, Lodge GM Trends in temperate Australian grass breeding and selection. 211

Orchard BA See Evans J et al. 763, 777

Ortiz-Ferrara G See Sivapalan S et al. 91

Pallotta MA See Williams KJ et al. 731

Pallotta MA, Asayama S, Reinheimer JM, Davies PA, Barr AR, Jefferies SP, Chalmers KJ, Lewis J, Collins HM, Roumeliotis S, Logue SJ, Coventry SJ, Lance RCM, Karakousis A, Lim P, Verbyla AP, Eckermann PJ Mapping and QTL analysis of the barley population Amagi Nijo × W12585. 141

Pang ECK See Skiba B et al. 453

Panozzo JF See Barr AR et al. 1117, 1125; Cakir M et al. 1155; Emebiri LC et al. 1211; Fox GP et al. 1081; Collins HM et al. 1223; Cullis BR et al. 1261

Papadakis IE, Dimassi KN, Therios IN Response of two citrus genotypes to six boron concentrations: concentration and distribution of nutrients, total absorption and nutrient use efficiency.

Paris M, Potter RH, Lance RCM, Li CD, Jones MGK Typing Mlo alleles for powdery mildew resistance in barley by single nucleotide polymorphism analysis using MALDI-ToF mass spectrometry. 1343

Park RF See Read BJ et al. 1145; Cakir M et al. 1155; Barr AR et al.

Park RF, Poulsen D, Barr AR, Cakir M, Moody DB, Raman H, Read BJ Mapping genes for resistance to Puccinia hordei in barley. 1323

Pegg KG See Nasir N et al. 251

Penrose LDJ, Fettell NA, Richards RA, Carpenter DJ Predicting the development of photoperiod 'insensitive' winter wheats in southcentral New South Wales. 293

Penrose LDJ, Rawson HM, Zajac M Prediction of vernalisation in three Australian Vrn responsive wheats. 283

Peoples MB See Khan DF et al. 333

Perry D See Reverter A et al. 119, 149

Petherick JC See Dixon RM et al. 529

Pethick DW See D'Souza DN et al. 745

Peulen O See Pluske JR et al. 515

Piasentier E See Sanudo C et al. 551

Pierzynowski SG See Pluske JR et al. 515

Pittaway PA See Nasir N et al. 251

Platz GJ See Read BJ et al. 1145; Williams KJ et al. 1387; Raman H et al. 1359; Gupta S et al. 1379; Cakir M et al. 1155, 1369; Barr AR et al. 1117, 1125

Pluske JR See Dunshea FR et al. 363; Kim J C et al. 541; D'Souza DN et al. 745

Pluske JR, Anderson RD Replacement of limestone with calcite prill derived from underground water in diets for molted layer hens. 933

Pluske JR, Kerton DJ, Cranwell PD, Campbell RG, Mullan BP, King RH. Power GN, Pierzynowski SG, Westrom BR, Rippe C, Peulen O, Dunshea FR Age, sex and weight at weaning influence organ weight and gastrointestinal development of weanling pigs. 515

Portelli M See Unkovich MJ et al. 751

Potipibool S See Boyd WJR et al. 1277

Potter RH See Paris M et al. 1343

Poulsen D See Barr AR et al. 1117, 1125; Cakir M et al. 1155, 1351, 1369: Park RF et al. 1323

Power GN See Dunshea FR et al. 363; Pluske JR et al. 515

Pracilio G, Asseng S, Cook SE, Hodgson G, Wong MTF, Adams ML, Hatton TJ Estimating spatially variable deep drainage across a central eastern wheatbelt catchment, Western Australia. 789

Prangnell R See Read BJ et al. 1145

Prayaga KC Evaluation of beef cattle genotypes and estimation of direct and maternal

genetic effects in a tropical environment. 1. Growth traits. 1013; 2. Adaptive and temperament traits. 1027

Prayaga KC, Eady SJ Performance of purebred and crossbred rabbits in Australia: individual growthand slaughter traits. 159

Pritsa TS, Voyiatzis DG, Voyiatzi CJ, Sotiriou MS Evaluation of vegetative growth traits and their relation to time to first flowering of olive seedlings. 371

Quero Garcia J See Ivancic A et al. 581

Rab A See Unkovich MJ et al. 751

Raman H See Park RF et al. 1323; Li CD et al. 251; Genger RK et al. 1335; Boyd WJR et al. 1277; Read BJ et al. 1145

Raman H, Karakousis A, Moroni J S, Raman R, Read BJ, Garvin DF, Kochian LV, Sorrells ME Development and allele diversity of microsatellite markers linked to the

aluminium tolerance gene Alp in barley. 1315

Raman H, Platz GJ, Chalmers KJ, Raman R, Read BJ, Barr AR, Moody DB Mapping of genomic regions associated with net form of net blotch resistance in barley. 1359

Raman R See Raman H et al. 1315, 1359; Read B J et al. 1145

Rapp G See Boschma S et al. 903

Rate AW See Valizadeh GR et al. 59

Rawson HM See Penrose LDJ et al. 283

Read BJ See Boyd WJR et al. 1277; Cakir M et al. 1155; Raman H et al. 1315, 1359; Li CD et al. 1251; Barr AR et al. 1117, 1125; Park RF et al. 1323; Genger RK et al. 1335

Read BJ, Raman H, McMichael G, Chalmers KJ, Ablett GA, Platz GJ. Raman R, Genger RK, Boyd WJR, Li CD, Grime CR, Park RF, Wallwork H, Prangnell R, Lance RCM Mapping and QTL analysis of the barley population Sloop × Halcyon. 1145

Rebetzke GJ See Munns RE et al. 627

Rebetzke GJ, Condon AG, Richards RA, Farquhar GD Gene action for leaf conductance in three wheat crosses. 381

Reinheimer JM See Pallotta MA et al. 1141

Rengel Z See Valizadeh GR et al. 59; Zhang XK et al. 183; Tang CX et al. 445

Reverter A See Johnston DJ et al. 107, 135

Reverter A, Johnston DJ, Ferguson DM. Perry D, Goddard ME, Burrow HM, Oddy VH, Thompson JM. Bindon BM Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds: 4. Correlations among live animal. carcass and meat quality traits. 149

Reverter A, Johnston DJ, Perry D, Goddard ME, Burrow HM Genetic and phenotypic characterisation of live, carcass, and meat quality traits from temperate and tropically adapted beef breeds. 2. Abbatoir carcass traits. 119

Richards RA See Penrose LDJ et al. 293; Rebetzke GJ et al. 381

Riffkin PA See McKenzie FR et al. 461

Riffkin PA, Evans PM, Chin JF, Kearney GA Early-maturing spring wheat outperforms late-maturing winterwheat in the high rainfall environment of south-western Victoria. 193

Rippe C See Pluske JR et al. 515

Robards GE See Friend MA et al. 923

Robertson MJ See Turpin JE et al. 39

Robinson DL See Johnston DJ et al. 107

Roman B, Satovic Z, Avila C M, Rubiales D, Moreno MT, Torres AM Locating genes associated with Ascochyta fabae resistance in Vicia faba L. 85

Rose IA See Turpin JE et al. 39

Roumeliotis S See Pallotta MA et al. 1141; Barr AR et al. 1117, 1125; Karakousis A et al. 1131; Li CD et al. 1251

Roupakias DG See Ntanos DA et al. 1005

Rubiales D See Roman B et al. 85

Ryley MJ See Wang E et al. 599; Blaney BJ et al. 167

Sadras VO Influence of size of rainfall events on water-driven processes. I. Water budget of wheat crops in south-eastern Australia. 341

Sadras VO, Baldock JA Influence of size of rainfall events on waterdriven processes. II. Soil nitrogen mineralisation in a semi-arid environment. 353

Safari E See Fogarty NM et al. 715

Sahin F See Esitken A et al. 377

Sanchez A See Sanudo C et al. 551

Sandral GA See Dear BS et al. 203

Sanudo C, Alfonso M, Sanchez A, Berge P, Dransfield E, Zygoyiannis D, Stamataris C, Thorkelsson G, Valdimarsdottir T, Piasentier E, Mills C, Nute GR, Fisher AV Meat texture of lambs from different European production systems. 551

Satovic Z See Roman B et al. 85

Saul GR See Singh DK et al. 677

Schutze MK See Scott KD et al. 739

Schwenke GD See Khan DF et al. 333

Scott G See Evans J et al. 763, 777

Scott JM See Boschma S et al. 819, 903

Scott KD, Wilkinson KS, Merritt MA, Scott LJ, Lange C, Schutze MK, Kent JK, Merritt DJ, Grundy PR, Graham GC Genetic shifts in Helicoverpa armigera Hubner (Lepidoptera: Noctuidae) over a year in the Dawson Callide Valleys. 739

Scott LJ See Scott KD et al. 739

Selle PH, Cadogan DJ. Bryden WL Effects of phytase supplementation of phosphorus-adequate, lysine-deficient, wheat-based diets on growth performance of weaner pigs. 323

Sheehy PA See Kerr CA et al. 1057

Shepherd KW See Kitchen JL et al. 889

Si P, Mailer RJ, Galwey NW, Turner DW Influence of genotype and environment on oil and protein concentrations of canola (*Brassica napus* L.) grown across southern Australia 397

Siddique KHM See Croser JS et al. 429

Simmins PH See Kim JC et al. 541

Sindel BM See Gardener MR et al. 621, 613

Singh DK. Bird PR, Saul GR Maximising the use of soil water by herbaceous species in the high rainfall zone of southern Australia: a review. 677

Singh DK, Singh V Seed size and adventitious nodal roots as factors influencing the tolerance of wheat to waterlogging. 969

Singh V See Singh DK et al. 969

Sivapalan S, O'Brien L, Ortiz-Ferrara G, Hollamby GJ, Barclay I, Martin PJ A comparative study for yield performance and adaptation of some Australian and CIMMYT/ICARDA wheat genotypes grown at selected locations in Australia and the WANA region. 91

Sivasithamparam K See Bayliss KL et al. 77; Wherrett A D et al. 837
Skerritt JH. Heywood RH, Ellison FW, Kammholz SJ, Allen HM
Interchangeability of genotypes and growth locations for high-quality, high-protein wheat production in Australia, 987

Skiba B, Pang ECK Mating trials and genetic study of virulence in Ascochyta lentis to the lentil cultivar 'Northfield'. 453

Smith AB See Cullis BR et al. 1261; Barr AR et al. 1125

Smith AK See Jones RAC et al. 849

Sorrells ME See Raman H et al. 1315

Sotiriou MS See Pritsa TS et al. 371

Spackman M See Cakir M et al. 1351

Spencer D See Dear BS et al. 203

Spindler L See Bayliss KL et al. 77

Stamataris C See Sanudo C et al. 551

Stephenson RA, Gallagher EC, Doogan VJ Macadamaia responses to mild water stress at different phenological stages. 67

Stoddard FL Genetics of starch granule size distribution in tetraploid and hexaploid wheats. 637

Stork PR, Jerie PH Initial studies of the growth, nitrogen sequestering and de-watering potential of perennial grass selections for use as nitrogen catch crops in orchards. 27

Suster D See McCauley I et al. 11

Sykes SR See Liu SM et al. 869

Tang CX, Nuruzzaman M, Rengel Z Screening wheat genotypes for tolerance of soil acidity. 445

Tarr A See Li CD et al. 1251, 1303

Taylor PJ See Fogarty NM et al. 715

Therios IN See Papadakis IE et al. 571

Thom ER See Bahmani I et al. 803

Thompson JM See Reverter A et al. 149; Johnston DJ et al. 135

Thompson R See Verbyla AP et al. 1395

Thomson RD See Galwey NW et al. 649

Thorkelsson G See Sanudo C et al. 551

Tonks JW See Cruickshank AW et al. 885

Torres AM See Avila CM et al. 409; Roman B et al. 85

Tran-Nguyen L See Blanche KR et al. 423

Turan M See Esitken A et al. 377

Turk M See El-Shatnawi Md K et al. 53

Turner DW See Si P et al. 397

Turner NC See Gibberd MR et al. 499

Turpin JE, Robertson MJ, Haire C, Bellotti WD, Moore AD, Rose IA Simulating fababean development, growth and yield in Australia. 9

Uhlmann J See Li CD et al. 1303

Unkovich MJ, Blott K, Knight AJ, Rab A, Mock I, Portelli M Water use, competition, and crop production, in low rainfall alley farming systems of south-eastern Australia. 751

Valdimarsdottir T See Sanudo C et al. 551

Valiente OL, Delgado P, de Vega A, Guada JA Validation of the nalkane technique to estimate intake, digestibility, and diet composition in sheep consuming mixed grain:roughage diets. 693

Valizadeh GR, Rengel Z, Rate AW Response of wheat genotypes efficient in P utilisation and genotypes responsive to P fertilisation to different P banding depths and watering regimes. 59

de Vega A See Valiente OL et al. 693

Verbyla AP See Pallotta MA et al. 1141; Barr AR et al. 1117

Verbyla AP, Eckermann PJ, Thompson R, Cullis BR The analysis of quantitative trait loci in multi-environment trials using a multiplicative mixed model. 1395

Vivar H See Cakir M et al. 1351

Voyiatzi CJ See Pritsa TS et al. 371

Voyiatzis DG See Pritsa TS et al. 371

Wallwork H See Genger RK et al. 1335; Williams KJ et al. 731, 1387; Read BJ et al. 1145

Wang E, Ryley MJ, Meinke H Effect of climate variability on event frequency of sorghum ergot in Australia. 599

Ward AL Does soil texture influence the distribution of the greyback canegrub, Dermolepida albohirtum (Waterhouse) (Coleoptera: Scarabaeidae), in the Burdekin River sugarcane growing area? 861

Warner P See Long NR et al. 1163

Watt M See McCauley I et al. 11

Wellings CR See Cakir M et al. 1351

Westcot S See Li CD et al. 1303

Westrom BR See Pluske JR et al. 515

Whalley RDB See Gardener MR et al. 613, 621

Wherrett AD, Sivasithamparam K, Barbetti MJ Chemical manipulation of Leptosphaeria maculans (blackleg disease) pseudothecial development and timing of ascospore release from canola (Brassica napus) residues. 837

White A See Dixon RM et al. 529

White CL See Wiese S et al. 507

White RE See Eckard R et al. 561

Wiese S, White CL, Masters DG, Milton JTB, Davidson RH The growth performance and carcass attributes on Merino and Poll Dorset × Merino lambs fed rumen-protected methionine (Smartamine-M). 507

Wilkinson KS See Scott KD et al. 739

Williams KJ See Genger RK et al. 1335

Williams KJ The molecular genetics of disease resistance in barley.

Williams KJ, Lewis J, Bogacki P, Pallotta M A. Willsmore K, Kuchel H, Wallwork H Mapping of a QTL contributing to cereal cyst nematode tolerance and resistance in wheat. 731

Williams KJ, Platz GJ, Barr AR, Cheong J, Willsmore K, Cakir M, Wallwork H A comparison of the genetics of seedling and adult plant resistance to the spot form of net blotch (Pyrenophora teres f. maculata). 1387

Willsmore K See Williams KJ et al. 731, 1387

Wong MTF See Pracilio G et al. 789

Young KJ See Li CD et al. 1251, 1303

Zajac M See Penrose LDJ et al. 283

Zhang XG, Jessop RS. Alter D Organic acid exudation associated with aluminium stress tolerance in triticale and wheat. 979

Zhang XK, Rengel Z Soil solution composition in association with the toxicity of banded di-ammonium phosphate to wheat and amelioration by CaCO<sub>3</sub>. 183

Zygoyiannis D See Sanudo C et al. 551



